

6/525,903

EAST Search History

Interference

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20060110089"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/04 18:08

EAST Search History

S2	196	(US-20040091207-\$ or US-20060110089-\$ or US-20020181823-\$ or US-20040120625-\$ or US-20050141072-\$ or US-20010002942-\$ or US-20010033716-\$ or US-20020001427-\$ or US-20020021501-\$ or US-20020027230-\$ or US-20020037138-\$ or US-20020089711-\$ or US-20020176463-\$ or US-20030031412-\$ or US-20030123503-\$ or US-20030185534-\$ or US-20030198441-\$ or US-20040017979-\$ or US-20040022506-\$ or US-20040061860-\$ or US-20040151460-\$ or US-20040223695-\$ or US-20040228573-\$ or US-20040239924-\$ or US-20040264516-\$ or US-20050105842-\$).did. or (US-20050105868-\$ or US-20050191022-\$ or US-20050201671-\$ or US-20060023605-\$ or US-20060030842-\$ or US-20060093262-\$ or US-20060139948-\$ or US-20060165343-\$ or US-20060220078-\$ or US-20010055482-\$ or US-20030030902-\$ or US-20030086148-\$ or US-20030169410-\$ or US-20040162470-\$ or US-20050140644-\$ or US-20050146689-\$ or US-20050157161-\$ or US-20050168823-\$ or US-20050213068-\$ or US-20050218413-\$ or US-20060055886-\$ or US-20060077666-\$ or US-20060164601-\$).did. or (US-6236771-\$ or US-4359261-\$ or US-4422088-\$ or US-4816687-\$ or US-5185823-\$ or US-6990269-\$ or US-5296950-\$ or US-6191464-\$ or US-6674927-\$ or US-6870977-\$ or US-6950580-\$ or US-5940550-\$ or US-525903-\$ or US-5395744-\$ or US-5757837-\$ or US-6215114-\$	US-PGPUB; USPAT	OR	ON	2006/10/24 14:21
9/13/2007 9:50:32 AM or US-6950580-\$ or US-5940550-\$ C:\Documents and Settings\jag00000000\My Documents\5-6-07\Workspaces\10-525903 Optical Modulator.wsp						

EAST Search History

S3	145	S2 and @ad<"20020830"	US-PGPUB; USPAT	OR	ON	2006/10/24 14:22
S4	3	S3 and (substrate and electro\$optic\$4 same waveguide with electrode with phase)	US-PGPUB; USPAT	OR	ON	2006/10/24 15:12
S5	2	S3 and (stray with reject\$5)	US-PGPUB; USPAT	OR	ON	2006/10/24 15:11
S6	84	S3 and (stray near2 light)	US-PGPUB; USPAT	OR	ON	2006/10/24 15:11
S7	3	S3 and (stray near2 light with groove)	US-PGPUB; USPAT	OR	ON	2006/10/24 19:25
S8	1	(substrate and electro\$optic\$4 same waveguide with electrode with phase) and (stray near2 light with groove)	US-PGPUB; USPAT	OR	ON	2006/10/24 15:26
S9	1	(substrate and electro\$optic\$4 same waveguide with electrode with phase) and (stray near2 light same groove)	US-PGPUB; USPAT	OR	ON	2006/10/24 15:26
S10	0	(substrate and electro\$optic\$4 same waveguide with electrode with phase) same (stray near2 light same groove)	US-PGPUB; USPAT	OR	ON	2006/10/24 15:26
S11	0	(stray near2 light with groove) same electro\$optic with module	US-PGPUB; USPAT	OR	ON	2006/10/24 15:41
S12	106	(stray near2 light with groove)	US-PGPUB; USPAT	OR	ON	2007/03/13 22:52
S13	65	S12 and @ad<"20020830"	US-PGPUB; USPAT	OR	ON	2006/10/24 15:42
S14	20	S13 and modulat\$4	US-PGPUB; USPAT	OR	ON	2006/10/24 15:43
S15	7	S14 and substrate	US-PGPUB; USPAT	OR	ON	2006/10/24 15:43
S19	944	stray adj light same refract\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/24 15:51
S20	392	stray adj light with refract\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/24 15:54
S21	237	S20 and @ad<"20020830"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/24 15:51

EAST Search History

S22	6	S21 and electro\$optic	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/24 15:53
S23	42	S21 and modulat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/24 15:53
S24	211	stray adj light with (refract\$5 near2 index)	US-PGPUB; USPAT; ÉPO; JPO; DERWENT	OR	ON	2006/10/24 15:54
S25	131	S24 and @ad<"20020830"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/24 15:54
S26	0	mach\$1zender and (stray adj light with refract\$6 near2 index)	US-PGPUB; USPAT	OR	ON	2006/10/24 16:03
S27	0	(mach\$1zender mzi) and (stray adj light with refract\$6 near2 index)	US-PGPUB; USPAT	OR	ON	2006/10/24 16:06
S28	0	(mach\$1zender mzi) and (stray adj light with groove)	US-PGPUB; USPAT	OR	ON	2006/10/24 16:07
S29	22	modulator and (stray adj light with groove)	US-PGPUB; USPAT	OR	ON	2006/10/24 16:07
S30	9005443	S29 and@<"20020830"	US-PGPUB; USPAT	OR	ON	2006/10/24 16:08
S31	15	S29 and @ad<"20020830"	US-PGPUB; USPAT	OR	ON	2006/10/24 16:42
S32	359	refractive adj index same (stray adj light)	US-PGPUB; USPAT	OR	ON	2006/10/24 16:43
S33	218	S32 and @ad<"20020830"	US-PGPUB; USPAT	OR	ON	2006/10/24 16:43
S34	8	S33 and modulator and electrode	US-PGPUB; USPAT	OR	ON	2006/10/24 16:43
S35	3	stray near2 light near2 removing near2 layer	US-PGPUB; USPAT	OR	ON	2006/10/24 16:57

EAST Search History

S36	196	(US-20040091207-\$ or US-20060110089-\$ or US-20020181823-\$ or US-20040120625-\$ or US-20050141072-\$ or US-20010002942-\$ or US-20010033716-\$ or US-20020001427-\$ or US-20020021501-\$ or US-20020027230-\$ or US-20020037138-\$ or US-20020089711-\$ or US-20020176463-\$ or US-20030031412-\$ or US-20030123503-\$ or US-20030185534-\$ or US-20030198441-\$ or US-20040017979-\$ or US-20040022506-\$ or US-20040061860-\$ or US-20040151460-\$ or US-20040223695-\$ or US-20040228573-\$ or US-20040239924-\$ or US-20040264516-\$ or US-20050105842-\$).did. or (US-20050105868-\$ or US-20050191022-\$ or US-20050201671-\$ or US-20060023605-\$ or US-20060030842-\$ or US-20060093262-\$ or US-20060139948-\$ or US-20060165343-\$ or US-20060220078-\$ or US-20010055482-\$ or US-20030030902-\$ or US-20030086148-\$ or US-20030169410-\$ or US-20040162470-\$ or US-20050140644-\$ or US-20050146689-\$ or US-20050157161-\$ or US-20050168823-\$ or US-20050213068-\$ or US-20050218413-\$ or US-20060055886-\$ or US-20060077666-\$ or US-20060164601-\$).did. or (US-6236771-\$ or US-4359261-\$ or US-4422088-\$ or US-4816687-\$ or US-5185823-\$ or US-6990269-\$ or US-5296950-\$ or US-6191464-\$ or US-6674927-\$ or US-6870977-\$ or US-6950580-\$ or US-5940550-\$ or US-5218984-\$ or US-5305744-\$ or US-5757837-\$ or US-6215114-\$	US-PGPUB; USPAT	OR	ON	2006/10/24 19:26
9/13/2007 9:50:32 AM or US-6950580-\$ or US-5940550-\$ C:\Documents and Settings\gander\My Documents\EAST\Workspaces\10-525903 Optical Modulator.wsp						

EAST Search History

S37	21	S36 and ghz	US-PGPUB; USPAT	OR	ON	2006/10/24 19:26
S38	1144	S37 and MZI mzm mach\$zender	US-PGPUB; USPAT	OR	ON	2006/10/24 19:27
S39	3	S37 and (MZI mzm mach\$zender)	US-PGPUB; USPAT	OR	ON	2006/10/24 19:27
S40	1	(stray near2 light with groove) and (photorefractive photo\$1refractive)	US-PGPUB; USPAT	OR	ON	2007/03/13 22:54
S41	2	(stray near2 light with groove) and (refractive near (effect change))	US-PGPUB; USPAT	OR	ON	2007/03/13 22:53
S42	3090	(photorefractive photo\$1refractive)	US-PGPUB; USPAT	OR	ON	2007/04/04 18:37
S43	134	S42 and optical and waveguide and groove	US-PGPUB; USPAT	OR	ON	2007/03/13 22:54
S44	4	S43 and stray near2 light	US-PGPUB; USPAT	OR	ON	2007/03/13 22:56
S45	2	((("6141465") or ("6122299"))).PN.	US-PGPUB; USPAT	OR	OFF	2007/04/04 20:07
S46	3102	(photorefractive photo\$1refractive)	US-PGPUB; USPAT	OR	ON	2007/04/04 20:49
S47	134	S46 and optical and waveguide and groove	US-PGPUB; USPAT	OR	ON	2007/04/04 18:16
S48	4	S47 and (stray near2 light)	US-PGPUB; USPAT	OR	ON	2007/04/04 18:16
S49	85	S46 and (mach adj zender mach\$1zender mz mzi)	US-PGPUB; USPAT	OR	ON	2007/04/04 18:37
S50	1	S49 and ((stray near4 light) and groove)	US-PGPUB; USPAT	OR	ON	2007/04/04 18:38
S51	5	S49 and (stray near4 light)	US-PGPUB; USPAT	OR	ON	2007/04/04 18:38
S52	114	(stray near2 light with groove)	US-PGPUB; USPAT	OR	ON	2007/04/04 19:01
S53	65	S52 and @ad<"20020830"	US-PGPUB; USPAT	OR	ON	2007/04/04 19:01
S54	0	S53 and photo\$1refract\$4	US-PGPUB; USPAT	OR	ON	2007/04/04 19:02
S55	0	S53 and photo adj refract\$4	US-PGPUB; USPAT	OR	ON	2007/04/04 19:02
S56	28	S53 and refractive near2 index	US-PGPUB; USPAT	OR	ON	2007/04/04 19:02
S57	2	((("6141465") or ("6122299"))).PN.	US-PGPUB; USPAT	OR	OFF	2007/04/04 20:22

EAST Search History

S58	0	S57 and stray near light	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/04 20:07
S59	2	S57 and groove	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/04 20:07
S60	2	S57 and photorefractive	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/04 20:09
S61	0	S57 and rejection near3 light	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/04 20:09
S62	0	S57 and rejection	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/04 20:09
S63	1	("6574181").PN.	US-PGPUB; USPAT	OR	OFF	2007/04/04 20:48
S64	4769	385/14.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/04 20:49
S65	58	S64 and (photorefractive photo\$1refractive)	US-PGPUB; USPAT	OR	ON	2007/04/04 20:58
S66	43	S65 and @ad<"20020830"	US-PGPUB; USPAT	OR	ON	2007/04/04 20:58
S67	0	S66 and (stray near2 light)	US-PGPUB; USPAT	OR	ON	2007/04/04 20:58
S68	19	S66 and groove\$2	US-PGPUB; USPAT	OR	ON	2007/04/04 21:00
S69	2119	385/49-50.ccls.	US-PGPUB; USPAT	OR	ON	2007/04/04 20:58
S70	27	S69 and (photorefractive photo\$1refractive)	US-PGPUB; USPAT	OR	ON	2007/04/04 20:58
S71	1489	S69 and @ad<"20020830"	US-PGPUB; USPAT	OR	ON	2007/04/04 20:58
S72	23	S70 and @ad<"20020830"	US-PGPUB; USPAT	OR	ON	2007/04/04 20:58
S73	1	S72 and (stray near2 light)	US-PGPUB; USPAT	OR	ON	2007/04/04 20:58
S74	15	S72 and groove\$2	US-PGPUB; USPAT	OR	ON	2007/04/04 21:00

10/525,903

PALM INVENTOR

PALM INTRANET

SEARCH

Day : Thursday
Date: 9/13/2007

Time: 09:56:54

Inventor Name Search Result

Your Search was:

Last Name = ICHIKAWA

First Name = JUNICHIRO

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<u>08315981</u>	5526448	150	09/30/1994	OPTICAL WAVEGUIDE MODULATOR HAVING A REDUCED D.C. DRIFT	ICHIKAWA, JUNICHIRO
<u>09239401</u>	6233385	150	01/28/1999	LIGHT LIMITER	ICHIKAWA, JUNICHIRO
<u>09271302</u>	6218658	250	03/17/1999	OPTICAL FUSE	ICHIKAWA, JUNICHIRO
<u>09319068</u>	6134372	150	06/01/1999	LIGHT INTENSITY ATTENUATOR AND ATTENUATING METHOD.	ICHIKAWA, JUNICHIRO
<u>09817824</u>	6539153	150	03/26/2001	LIGHT LIMITER	ICHIKAWA, JUNICHIRO
<u>10381667</u>	Not Issued	161	06/27/2003	Wavelength stabilized module, stable wavelength laser beam generating device and optical communication system	ICHIKAWA, JUNICHIRO
<u>10485428</u>	Not Issued	41	08/06/2004	Optical modulator	ICHIKAWA, JUNICHIRO
<u>10525903</u>	Not Issued	71	09/06/2005	Optical modulator	ICHIKAWA, JUNICHIRO
<u>10550770</u>	Not Issued	30	06/06/2006	Method and device for controlling bias of optical modulator	ICHIKAWA, JUNICHIRO
<u>10809053</u>	7009758	150	03/25/2004	LIGHT CONTROL ELEMENT	ICHIKAWA, JUNICHIRO
<u>11083735</u>	Not Issued	20	03/18/2005	Method for forming polarization reversal	ICHIKAWA, JUNICHIRO
<u>11089895</u>	7174059	150	03/25/2005	OPTICAL DEVICE	ICHIKAWA, JUNICHIRO
<u>11367261</u>	Not Issued	30	03/03/2006	Optical device and method of manufacturing the same	ICHIKAWA, JUNICHIRO
<u>11389380</u>	Not	19	03/24/2006	Optical modulator	ICHIKAWA,

	Issued				JUNICHIRO
<u>11389726</u>	Not Issued	25	03/27/2006	Optical modulator	ICHIKAWA, JUNICHIRO
<u>11500043</u>	7260280	150	08/07/2006	OPTICAL DEVICE	ICHIKAWA, JUNICHIRO

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name	First Name	
<input type="text" value="ichikawa"/>	<input type="text" value="junichiro"/>	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)